



DESIGNED TO PERFORM

wmf.com

WMF PROFESSIONAL COFFEE MACHINES

PRICE LIST 2022

Contents

⁴ Milk / Steam Systems	²⁰ WMF 5000 S+
⁵ Cleaning Systems	²² WMF 9000 S+
⁶ Features & Innovations	²⁴ WMF 9000 F (External Storage)
⁸ WMF CoffeeConnect	²⁶ WMF 9000 F (Internal Storage)
¹² WMF espresso	²⁸ Accessory Equipment
¹⁴ WMF 1100 S	⁴⁰ Consumables
¹⁶ WMF 1300 S	⁴⁴ Contact Details
¹⁸ WMF 1500 S+	

Milk / Steam Systems



BASIC MILK

Basic Milk

The Basic Milk system is the perfect choice for all classic coffee specialties such as cappuccino, latte macchiato and latte, which are prepared with hot milk and hot milk foam.



EASY MILK

Easy Milk

Enabling you to tap into the market for cold milk mixed beverages as well as hot coffee specialties, the Easy Milk system automatically dispenses cold milk as well as hot milk or hot milk foam via the beverage spout.



SMART MILK

Smart Milk

It's never been easier to serve a wide variety of cold milk mixed beverages and hot coffee specialties. The innovative WMF Smart Milk system automatically dispenses cold milk and warm milk as well as fine-pored warm milk foam, directly from the beverage spout.



DYNAMIC MILK

Dynamic Milk

WMF's Dynamic Milk system offers an even wider range of possibilities, allowing the fully automatic production of 4 different consistencies of hot milk foam and 3 variations of cold milk foam, as well as hot and cold milk. So you can always offer your customers the perfect milk foam for each coffee creation.



BASIC STEAM

Basic Steam

This system can be used to quickly and easily warm a variety of beverages from hot chocolate to mulled wine, and to heat and froth milk manually if requested by your customer.



EASY STEAM

Easy Steam

Designed to prepare hot beverages or to manually froth milk from an external source, this system features a semi-automatic steam wand that switches off on reaching the prescribed temperature, making traditional milk frothing much easier.



AUTO STEAM

Auto Steam

The separate steam wand of the Auto Steam system allows users to customise milk foam density for each individual coffee creation, and produces three different types of milk foam completely automatically at the side. The system also makes it simple to heat milk and prepare a variety of hot beverages.

Cleaning Systems



BASIC CLEAN

Basic Clean

With this manual system, the coffee machine is cleaned using a cleaning solution and water, before being rinsed with fresh water. The spout needs to be manually cleaned each day by placing it in a special cleaning fluid. For machines with Basic Milk or machines without milk systems.



EASY CLEAN

Easy Clean

This fully automatic system for the Easy Milk system uses a special cleaning container and soluble cleaning tablets. After having connected the milk hose to the cleaning container, the machine dispenses water into the container, then cleans and rinses the machine automatically with the cleaning solution and steam. The milk foamer is cleaned manually once a week.



PLUG+CLEAN

Plug+Clean

This patented system uses hot water and steam to clean the milk system by simply plugging the Plug+Clean adapter into the Plug+Clean socket of the machine/cooler. This eliminates the need to dismantle the milk foamer each day, reducing manual cleaning in the cleaning fluid to just once a week.

Click+Clean

With the **Click+Clean** system for the WMF 1100 S the adapter has to be attached to the machine's hot water spout instead.



CLEAN IN PLACE

Clean in Place

Our most advanced cleaning system operates in the same way as the Easy Clean system, but with the additional advantage that the milk foamer is also cleaned automatically by the system. It's the ultimate in user-friendly efficiency for all machines with Dynamic Milk system.



SMART CLEAN

Smart Clean

Thanks to Plug+Clean, daily cleaning involves only minimal effort, and system cleaning with Clean in Place is only required after 250 brewings or at the latest after 7 days. With the Clean in Place system, there is no need to manually remove and dismantle the spout for cleaning.



AUTO CLEAN

WMF AutoClean

WMF AutoClean eliminates the need for manual cleaning of the coffee and milk systems. Cleaning granulate for the coffee system is stored in the machine and only needs to be replaced once every 60 cleaning cycles, while cleaning liquid for the milk system lasts 40 cycles. Both are dosed automatically. After the cleaning cycle has been configured just once, the machine will clean itself automatically at the chosen time.

Features & Innovations

WMF AUTO CLEAN

THE INTELLIGENT CLEANING SYSTEM,
ENGINEERED FOR FULL AUTOMATION.

In a groundbreaking, labour-saving new development, manual cleaning of the coffee and milk systems of our Professional Coffee Machines has become a thing of the past. Just configure the cleaning cycle once and the WMF AutoClean system does the rest, independently and automatically. By automating the cleaning process, the WMF AutoClean system further extends the list of innovations introduced by WMF to save time and effort, increasing the profitability of your professional coffee machine.



WMF CUP GUARD

SAFE SELF-SERVICE USE,
THANKS TO AUTOMATIC DOOR LOCKING.


The self-closing WMF Cup Guard is a splash-proof door which protects users against the risk of burning or scalding, guaranteeing the utmost safety in your venue. Available as an option with the WMF 5000 S+ and the WMF 1500 S+, the WMF Cup Guard is automatically locked by an electromagnet while a drink is being dispensed, and cannot be reopened until the beverage is ready. For additional protection, cyclical rinsing or starting the cleaning process is only possible when the WMF Cup Guard is closed.



WMF CUP SENSOR

INTELLIGENT COFFEE SERVICE,
THANKS TO SMART CUP RECOGNITION.

The Cup Sensor recognises the cup placed on the drip tray, moving the automatic spout to precisely the right distance above it. The machine can even preselect specific beverages or sizes based on the cup used, eliminating the need for manual selection and minimising the risk of overfilling.



WMF SMART REMOTE

EASY AND INTUITIVE OPERATION,
THANKS TO CONTACTLESS ORDERING PROCESS.

The web-based app "WMF SmartRemote" is an innovative tool for ordering and preparing beverages completely contactlessly in the self-service segment. Designed as a web-based application, the WMF SmartRemote solution is compatible with any mobile operating system (iOS, Android, Windows or Linux). There is no need to download and install a specific app. The solution is now available for all connected fully automatic coffee machines in self-service operation.



WMF CoffeeConnect

COFFEE EXCELLENCE
MEETS DIGITAL SOLUTIONS



The WMF CoffeeConnect cloud platform lets you harness the potential of digitalisation to optimise sales, service and maintenance, as well as management and accounting. Contactless ordering, mobile payment and third party integration are also supported.

WMF CoffeeConnect provides data-based insights that help you facilitate operations and improve service and cleaning cycles. It gives you the ability to manage your coffee machines easily and assign access rights in line with your needs. You can learn more about your customers' preferences and performance by location, and adapt your portfolio accordingly. You can remotely interact with your coffee machines to adapt prices, roll out campaigns, save costs and increase efficiency. What's more, you can use exported data to investigate new business models or analyse financing or leasing models.



Take advantage of WMF CoffeeConnect lets you visualise data in a clear way, revealing potential improvements that can lead directly to higher machine uptime and consequently higher sales. Reports can be developed and tailored to your requirements, providing the most relevant information in the most effective format. Our data science team would be happy to advise you on the best reporting for your business.

- Visualisation
- Administration
- Interaction
- Custom reports

Integration*

Connecting coffee machines to create digital ecosystems has two main benefits. First, it helps you improve the consumer experience by tailoring interfaces to your individual requirements. Second, it enables you to implement smart processes and business process improvement. Our interfaces include functions for data retrieval and exchange as well as for remotely managing your machines. If you rely on standardised equipment, for instance from payment providers, you can connect that too. Our experienced team will be happy to advise you on how to take advantage of the IoT by connecting hardware, systems and smart- phone applications.

- Mobile payment
- Voucher/Loyalty
- Data retrieval & commands
- System integration



*Price on request

Designed for 120 cups per day



WMF 1300 S

RELIABLE COFFEE QUALITY,
BLENDING ROBUSTNESS AND EASY SERVICE.



COMPACT SIZE

With its impressively sleek dimensions, the WMF 1300 S is ideal for venues with limited space, and leaves plenty of room for additional coffee machines or add-on-devices in venues where more space is available.

INTUITIVE MENU SYSTEM

The 7" colour touch display is easy to navigate using intuitive gestures like swiping and scrolling. The menus can be adjusted to meet your requirements, for example for self-service or served venues, while the Pre-Select toolbar offers handy options for staff.



UP TO 3 HOPPERS

To allow you to offer your customers an appealing choice of beverages, the WMF 1300 S comes with the option of up to two bean hoppers plus one powder hopper [lockable hoppers available].



DRIP TRAY & CUP STOP

Protection against overfilling is provided by a fill level sensor, and a presence sensor locks the machine if the drip tray is missing. An adjustable cup stop ensures correct cup positioning.



WMF espresso



Dimensions

Width: 723 mm
 Height: 580 mm
 Depth: 540 mm
 Depth with opened cup tray: 600 mm

Power supply – hot water output

6 – 7 kW / 380 – 415 V - 190 cups

Recommended for an average daily requirement of 300 cups



Similar to illustration / may contain special equipment

03.5500.1001

2 integrated grinders, 2 bean hoppers, 2 brewing units, 1 Auto Steam, 1 Basic Steam, SteamJet, hot water spout, heated cup tray, LED illumination, 3 portafilters (2 x Standard Double, 1 x Standard Single), set of feet (50 mm), Dynamic Coffee Assist

12,915 €

Selectable additional options	List price / extra charge
<input type="checkbox"/> 2 nd Auto Steam (without parallel operation)	 + 195 €
<input type="checkbox"/> 2 nd Auto Steam PEEK (without parallel operation)	 + 405 €
<input type="checkbox"/> External large hopper ¹ (without cup heating)	+ 215 €
<input type="checkbox"/> Coloured foliation ²	+ 785 €

¹ Machine height with larger bean containers: 685 mm (with feet 735 mm)

² Please note: Coloured foliation requires specific delivery time clarification

Add-on kits	Item number	List price / extra charge
<input type="checkbox"/> Additional set of feet (Height + 50 mm)	03.5599.3001	 + 75 €
<input type="checkbox"/> Set of milk jugs	03.9090.1001	 + 180 €
<input type="checkbox"/> PEEK Steam outlet	03.5598.4001	 + 210 €
<input type="checkbox"/> Knock box W / H / D: 211 / 95 / 338 mm	03.9080.0002	 + 252 €
<input type="checkbox"/> Base panel	03.9041.2001	 + 260 €

Portafilters

<input type="checkbox"/> Single (8 – 11 g)	03.5596.5111	 + 170 €
<input type="checkbox"/> Single XL (10 – 16 g)	03.5596.5121	 + 185 €
<input type="checkbox"/> Double (10 – 16 g)	03.5596.5221	 + 185 €
<input type="checkbox"/> Double XL (15 – 21 g)	03.5596.5231	 + 240 €

Coloured foliation as an additional option



Brushed Black



Brushed Gold



Satin Pearl



Gloss Dragon Red Fire



Gloss Burnt Orange



Gloss Sunflower

WMF 1100 S

BASIC MODEL



Dimensions

Width:	325 mm
Height:	500 mm
Depth:	561 mm *
Clearance:	100 – 175 mm

Power supply – hot water output

1.9 – 2.3 KW / 220 – 240 V – 90 cups

Recommended for an average daily requirement of 80 cups

Similar to illustration / may contain special equipment

*The required depth changes due to milk hose guidance in connection with the following coolers:

Depth for 03.9190.5003	631 mm*
Depth for 03.9192.6013 / 03.9192.6023 / 03.9192.6043 / 03.9469.7012 / 03.9469.7022	616 mm*

Add-on kits	Item number	List price / extra charge
<input type="checkbox"/> Milk lance	03.1197.8001	+ 17.50 €
<input type="checkbox"/> Bean hopper extension lockable (1,100 g) ^{1,2}	03.1199.7001	+ 125 €
<input type="checkbox"/> Powder hopper (choc / topping) extension lockable (2,200 g) ^{1,2}	03.1199.7201	+ 125 €
<input type="checkbox"/> Grounds discharged through counter ¹	03.1199.2001	+ 160 €
<input type="checkbox"/> Fixed water connection kit	03.1198.6001	+ 215 €
<input type="checkbox"/> WMF CoffeeConnect	03.1999.0011	+ 580 €

¹ Capacity depends on coffee bean type / powder type in use

² Attachable, please note, this changes the height to 580 mm

³ Please note: Coloured foliation requires specific delivery time clarification

Basic model 1 / 03.1120.1111 3,775 €

Basic Milk, water tank, 1 grinder, hot water spout, Click+Clean, SteamJet

Basic model 2 / 03.1120.1311 4,075 €

Basic Milk, water tank, 1 grinder, 1 powder hopper, hot water spout, Click+Clean, SteamJet

Basic model 3 / 03.1120.1211 4,175 €

Basic Milk, water tank, 2 grinders, hot water spout, Click+Clean, SteamJet

Basic model 4 / 03.1120.0311 3,775 €

Topping, water tank, 1 grinder, 1 powder hopper, without steam boiler (no milk), hot water, Click+Clean,

Basic model 5 / 03.1120.0411** 3,960 €

Twin-Topping, water tank, 1 grinder, preparation for double powder dispenser, without steam boiler (no milk), Click+Clean, hot water 3,475 €

If additionally required, please order separately

03.1199.7301, double powder dispenser, lockable 485 €

Basic model 6 / 03.1120.1411** 4,260 €

Twin-Topping, Basic Milk, water tank, 1 grinder, preparation for double powder dispenser, hot water spout, Click+Clean, SteamJet 3,775 €

If additionally required, please order separately

03.1199.7301, double powder dispenser, lockable 485 €

**Machine prepared for double powder dispenser - price including instant fitting kit – double powder dispenser 03.1199.7301 - double powder dispenser and 2nd grinder or 1 powder hopper cannot be combined. Due to reasons of visual appearance we additionally recommend the bean hopper extension (03.1199.7001).

Selectable additional options	List price / extra charge
<input type="checkbox"/> Basic Steam	+ 110 €
<input type="checkbox"/> Coloured foliation ³	+ 540 €



Gloss Sunflower



Gloss Burnt Orange



Gloss Hotrod Red



Gloss Kelly Green

WMF 1300 S

BASIC MODEL



Similar to illustration /
may contain special equipment

Dimensions

Width:	325 mm
Height:	670 mm
Depth:	574 mm
Clearance:	60 – 169 mm

Power supply – hot water output

2.0 – 2.4 kW / 220 – 240 V – 120 cups

Recommended for an average
daily requirement of 120 cups

Basic model 1

03.1350.0511

Without milk system, water tank, 1 grinder, hot water central,
Basic Clean, LED illumination

4,650 €

Basic model 2

03.1350.0070

Basic Milk, water tank, 1 grinder, SteamJet, hot water central,
Plug+Clean, LED illumination

5,220 €

Basic model 3

03.1350.5010

Smart Milk³, water tank, 1 grinder, SteamJet, hot water central,
Smart Clean, LED illumination

5,670 €

Add-on kits	Item number	List price / extra charge
<input type="checkbox"/> Milk lance	03.1197.8001	+ 17.50 €
<input type="checkbox"/> Set of feet (100 mm) ¹	03.1999.3001	+ 75 €
<input type="checkbox"/> Fixed water connection kit ²	03.1398.6001	+ 215 €
<input type="checkbox"/> Grounds discharged through counter ¹	03.1199.2001	+ 225 €
<input type="checkbox"/> WMF CoffeeConnect	03.1999.0011	+ 580 €

¹ Feet and grounds discharged through counter cannot be combined.

² Installation by appropriate qualified personnel.

Selectable additional options	List price / extra charge
<input type="checkbox"/> Self-service mode ⁴ (lockable hoppers, manual insert & door, lockable tank, single foamer & cup stops additionally enclosed)	+ 165 €
<input type="checkbox"/> Decentralised hot water spout including Basic Steam	+ 220 €
<input type="checkbox"/> 2 nd grinder	+ 460 €
<input type="checkbox"/> Powder dispenser (choc / topping)	+ 580 €

³ Fixed water connection kit 03.1398.6001 is additionally recommended.

⁴ In self-service mode, fixed water connection and the milk empty message are strongly recommended.

WMF 1500 S+

BASIC MODEL



Dimensions

Width:	325 mm
Height:	716 mm
Depth:	590 mm
Clearance:	70 – 175 mm

Power supply – hot water output

2.75 – 3.25 kW / 220 – 240 V – 120 cups

Recommended for an average daily requirement of 180 cups

Generally lockable hoppers and front panel



Similar to illustration / may contain special equipment

Basic model 1

03.1920.0050

Basic Milk, water tank, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, Basic Steam, hot water spout, Basic Clean, LED illumination, Dynamic Coffee Assist

7,620 €

Add-on kits	Item number	List price / extra charge
<input type="checkbox"/> Set of feet (100 mm) ¹	03.1999.3001	+ 75 €
<input type="checkbox"/> Grounds discharged through counter ¹	03.1999.2001	+ 225 €

¹ Feet and grounds discharged through counter cannot be combined

Basic model 2

03.1920.0060

Basic Milk, fixed water connection, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, Basic Steam, hot water spout, Plug+Clean, LED illumination, Dynamic Coffee Assist

8,370 €

Basic model 3

03.1920.5000

Easy Milk, fixed water connection, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, Basic Steam, hot water spout, Easy Clean, LED illumination, Dynamic Coffee Assist

8,520 €

Basic model 4

03.1920.6010

Dynamic Milk, fixed water connection, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, Basic Steam, hot water spout, Clean in Place, LED illumination, Dynamic Coffee Assist, automatically height-adjustable spout

9,220 €

Selectable additional options	List price / extra charge
<input type="checkbox"/> Preparation for syrup station (Only available with Dynamic Milk system or self-service configuration ²)	without extra charge
<input type="checkbox"/> Self-service configuration ² for Dynamic Milk (assembled)	+ 30 €
<input type="checkbox"/> Self-service configuration ² for Basic and Easy Milk	+ 180 €
<input type="checkbox"/> Cup Sensor (Only available with Dynamic Milk system or self-service configuration ²)	+ 250 €
<input type="checkbox"/> Cup Guard	+ 315 €
<input type="checkbox"/> 2 nd Grinder	+ 520 €
<input type="checkbox"/> Choc / topping hopper	+ 580 €
<input type="checkbox"/> Twin choc / twin topping	+ 855 €
<input type="checkbox"/> Fresh Filtered Coffee ³	+ 1,025 €

² Incl. automatically height-adjustable spout, cup stop and single spout.

³ Only available with fixed water connection and steam boiler. Without SteamJet. Cannot be combined with syrup.

WMF 5000 S+

BASIC MODEL



Similar to illustration /
may contain special equipment

Dimensions

Width:	325 mm
Height:	716 mm
Depth:	590 mm
Clearance:	66 – 172 mm

Power supply – hot water output

2.75 – 3.25 kW / 220 – 240 V – 160 cups
8.15 – 9.7 kW / 380 – 415 V – 280 cups

Recommended for an average
daily requirement of **250** cups

Generally lockable hoppers and front panel



Add-on kits	Item number	List price / extra charge
<input type="checkbox"/> Set of feet (100 mm) ¹	03.1999.3001	+ 75 €
<input type="checkbox"/> Grounds discharged through counter ¹	03.1999.2001	+ 225 €

¹ Feet and grounds discharged through counter cannot be combined

² Incl. automatically height-adjustable spout, cup stop and single spout attached.

³ Cannot be combined with Fresh Filtered Coffee

⁴ Cannot be combined with Chilled Coffee and Syrup Station. Without SteamJet.

⁵ Cannot be combined with Chilled Coffee and Cup Guard. Only in combination with Dynamic Milk.

Basic model 1

03.1950.1001 10,590 €

Easy Milk, fixed water connection, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, Easy Clean, hot water spout, LED illumination, Dynamic Coffee Assist, automatically height-adjustable spout, 2.75 – 3.25 kW / 220 – 240 V

Basic model 2

03.1950.1601 10,950 €

Easy Milk, fixed water connection, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, Easy Clean, hot water spout, LED illumination, Dynamic Coffee Assist, automatically height-adjustable spout, 8.15 – 9.7 kW / 380 – 415 V

Basic model 3

03.1950.5001 11,200 €

Dynamic Milk, fixed water connection, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, Clean in Place, hot water spout, LED illumination, Dynamic Coffee Assist, automatically height-adjustable spout, 2.75 – 3.25 kW / 220 – 240 V

Basic model 4

03.1950.5601 11,560 €

Dynamic Milk, fixed water connection, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, Clean in Place, hot water spout, LED illumination, Dynamic Coffee Assist, automatically height-adjustable spout, 8.15 – 9.7 kW / 380 – 415 V

Selectable additional options	List price / extra charge
<input type="checkbox"/> Preparation for syrup station (only available with Dynamic Milk, cannot be combined with FFC)	without extra charge
<input type="checkbox"/> Self-service configuration ² for Dynamic Milk (assembled)	+ 30 €
<input type="checkbox"/> Cup Sensor	+ 250 €
<input type="checkbox"/> Cup Guard	+ 315 €
<input type="checkbox"/> Easy Steam (Auto Steam and Easy Steam cannot be combined)	+ 320 €
<input type="checkbox"/> 2-Milk solution (only for Dynamic Milk)	+ 360 €
<input type="checkbox"/> 2 nd Grinder	+ 520 €
<input type="checkbox"/> Chilled Coffee ³	+ 565 €
<input type="checkbox"/> Choc / topping hopper	+ 580 €
<input type="checkbox"/> Auto Steam (Auto Steam and Easy Steam cannot be combined)	+ 710 €
<input type="checkbox"/> Twin choc / twin topping hopper	+ 855 €
<input type="checkbox"/> WMF AutoClean ⁵	+ 980 €
<input type="checkbox"/> Fresh Filtered Coffee ⁴	+ 1.025 €

Recommended prices of WMF GmbH

WMF 9000 S+

BASIC MODEL



Dimensions

Width:	390 mm
Height:	744 mm
Depth:	598 mm
Clearance:	55 – 195 mm

Power supply – hot water output

3.4 – 3.8 kW / 220 – 240 V – 120 cups
6.0 – 7.0 kW / 380 – 415 V – 190 cups

Recommended for an average daily requirement of 350 cups

Generally lockable hoppers and front panel



Similar to illustration / may contain special equipment

Add-on kits	Item number	List price / extra charge
<input type="checkbox"/> Set of feet (100 mm) ¹	03.8899.3001	+ 75 €
<input type="checkbox"/> Grounds discharged through counter ¹	03.8899.2001	+ 225 €

¹ Feet and grounds discharged through counter cannot be combined

² Auto Steam and Easy Steam cannot be combined

³ Maximum of 4 hoppers per coffee machine

Basic model 1

03.8810.0171

16,050 €

Dynamic Milk, fixed water connection, 1 grinder, SteamJet, Clean in Place, hot water spout, LED illumination, Dynamic Coffee Assist, fully automatic cup tray
3.4 – 3.8 kW / 220 – 240 V

Selectable additional options	List price / extra charge
<input type="checkbox"/> Preparation for syrup station	without extra charge
<input type="checkbox"/> Self-service configuration ² for Dynamic Milk (installed)	+ 30 €
<input type="checkbox"/> 6 – 7 kW / 380 – 415 V	+ 160 €
<input type="checkbox"/> Easy Steam ²	+ 320 €
<input type="checkbox"/> 2-Milk solution	+ 360 €
<input type="checkbox"/> 3 rd Grinder ³	+ 460 €
<input type="checkbox"/> 4 th Grinder ³	+ 460 €
<input type="checkbox"/> 1 st Choc / topping hopper ³	+ 580 €
<input type="checkbox"/> 2 nd Choc / topping hopper ³	+ 580 €
<input type="checkbox"/> Auto Steam ²	+ 710 €
<input type="checkbox"/> 2 nd Grinder (heavy duty) ³	+ 825 €

WMF 9000 F (EXTERNAL STORAGE)

BASIC MODEL



Similar to illustration /
may contain special equipment

Dimensions

Width:	450 mm
Height:	782 mm
Depth:	605 mm

Pot brewing arm

Clearance:	398 mm
Diameter pot:	max. 175 mm

Power supply coffee or hot water output per hour

8.5 – 10.1 kW / 380 – 415 V – approx. **72** litres
12.4 – 14.7 kW / 380 – 415 V – approx. **110** litres

Generally lockable hoppers and front panel



Add-on kits	Item number	List price / extra charge
<input type="checkbox"/> Spout for pot brewing arm 145 mm	33.4240.5000	+ 38.33 €
<input type="checkbox"/> Set of feet for thermal container 167 mm	03.6699.3011	+ 75 €
<input type="checkbox"/> Quantity spout 115 mm ¹	33.1750.3000	+ 105 €
<input type="checkbox"/> Quantity spout 166 mm ¹	33.9885.5000	+ 147 €
<input type="checkbox"/> Quantity spout 340 mm ¹	33.9838.3000	+ 162.75 €

¹ Can be plugged onto the coffee spout of the coffee machine

Basic model 1

03.8900.0010

13,985 €

Fixed water connection, 2 ground coffee hoppers, 10-inch multimedia touch display, quantity brewing arm, pot brewing arm (pots of up to 2.8 litres) automatic cleaning granulate dosing

Power supply 8.5 – 10.1 kW / 380 – 415 V

Basic model 2

03.8900.0020

14,585 €

Fixed water connection, 2 ground coffee hoppers, 10-inch multimedia touch display, quantity brewing arm, pot brewing arm (pots up to 2.8 litres) automatic cleaning granulate dosing

Power supply 12.4 – 14.7 kW / 380 – 415 V



Heated thermal container 20l

03.6621.0001

2,046 €

with post-brewing function. Max. capacity 20 litres.
Made of double-walled stainless steel, seamlessly welded. Integrated gauge glass with aluminium casing. No-drip stainless steel tap.



Heated thermal container 40l

03.6641.0001

2,928 €

with post-brewing function. Max. capacity 40 litres.
Made of double-walled stainless steel, seamlessly welded. Integrated gauge glass with aluminium casing. No-drip stainless steel tap.



Thermal container 2.4l

03.6299.0001

318 €

Accessory for variants of WMF 9000 F
with brewing arm pullout

Selectable additional options

List price / extra charge

<input type="checkbox"/> Set of feet (100 mm)	+ 75 €
---	--------

WMF 9000 F (INTERNAL STORAGE)

BASIC MODEL



Similar to illustration /
may contain special equipment



Dimensions	
Width:	450 mm
Height:	782 mm
Depth:	605 mm

Pot brewing arm	
Clearance:	398 mm
Diameter pot:	max. 175 mm

Power supply – coffee or hot water output per hour	
8.5 – 10.1 kW / 380 – 415 V – approx. 480 cups	
12.4 – 14.7 kW / 380 – 415 V – approx. 720 cups	

Recommended for an average
daily requirement of **500** cups

Generally lockable hoppers and front panel

Add-on kits	Item number	List price / extra charge	
<input type="checkbox"/> Spout for pot brewing arm 145 mm	33.4240.5000	+	38.33 €
<input type="checkbox"/> Quantity spout 115 mm ¹	33.1750.3000	+	105 €
<input type="checkbox"/> Quantity spout 166 mm ¹	33.9885.5000	+	147 €
<input type="checkbox"/> Quantity spout 340 mm ¹	33.9838.3000	+	162.75 €

¹ Can be plugged onto the coffee spout of the coffee machine

Basic model 1	
03.8900.5010	15,030 €

Fixed water connection, 1 ground coffee portioner,
10-inch multimedia touch display, 1 integrated 4-litres coffee urn,
pot brewing arm (pots of up to 2.8 litres), automatic cleaning granulate dosing
Power supply 8.5 – 10.1 kW / 380 – 415 V

Basic model 2	
03.8900.5020	15,630 €

Fixed water connection, 1 ground coffee portioner,
10-inch multimedia touch display, 1 integrated 4-litres coffee urn,
pot brewing arm (pots of up to 2.8 litres), automatic cleaning granulate dosing
Power supply 12.4 – 14.7 kW / 380 – 415 V



Thermal container 2.4l	
03.6299.0001	318 €

Accessory for variants of WMF 9000 F
with brewing arm pullout

Selectable additional options	List price / extra charge
<input type="checkbox"/> Set of feet (100 mm)	+ 75 €

WMF Accessory Equipment

CUP RACK



Cup rack narrow

for 60 – 260 cups / mugs, illumination,
4 heatable shelves, for all coffee machines

Dimensions

W / H / D: 286 / 530 / 539 mm

Power supply 220 – 240 V

03.9020.0102

03.1499.3001, set of feet (100 mm)

1,302 €
75 €



Cup rack wide

for 88 – 320 cups / mugs, illumination,
4 heatable shelves, for all coffee machines

Dimensions

W / H / D: 368 / 530 / 539 mm

Power supply 220 – 240 V

03.9020.0002

03.1499.3001, set of feet (100 mm)

2,094 €
75 €

CUP&COOL



Cup&Cool narrow

for 45 – 190 cups / mugs, stackable, 4.5 litres milk tank,
illumination, lockable, seal can be removed, 3 heatable shelves.

For all WMF fully automatic coffee specialities machines except
WMF 1100 S

Dimensions

W / H / D: 286 / 530 / 566 mm

Power supply 220 – 240 V

03.9021.5013

2,760 €

03.9021.5023

3,054 €

Milk empty message, sensor for milk temperature

03.1499.3001, set of feet (100 mm)

75 €



Cup&Cool wide

for 45 – 130 cups / mugs, stackable 9.5 litres milk tank,
illumination, lockable, seal can be removed, 2 heatable shelves.

For all WMF fully automatic coffee specialities machines.

Dimensions

W / H / D: 368 / 530 / 565 mm

Power supply 220 – 240 V

03.9021.6013

3,522 €

03.9021.6023

3,936 €

Milk empty message, sensor for milk temperature

03.9021.6043

4,362 €

Milk empty message, sensor for milk temperature,
milk hose conduction at the right or left side is possible

03.1499.3001, set of feet (100 mm)

75 €

MILK COOLERS



Countertop Cooler (small)

up to 3.5 l milk, generally lockable, with removable seal.
For all WMF fully automatic coffee specialities machines.

Dimensions

W / H / D: 228 / 344 / 469 mm

Power supply 220 – 240 V

03.9190.0003

900 €

03.1299.0001, set of feet (100 mm)

75 €



Countertop Cooler (small)

up to 3.5 l milk, digital thermostat, generally lockable,
removable seal. For all WMF fully automatic coffee specialities
machines. (Depth for WMF 1100 S see page 12)

Dimensions

W / H / D: 228 / 392 / 463 mm

Power supply 220 – 240 V

03.9190.5003

1,278 €

03.1299.0001, set of feet (100 mm)

75 €



Countertop Cooler (medium)

up to 6.5 l milk, generally lockable, with removable
seal. For all WMF fully automatic coffee specialities machines.
(Depth for WMF 1100 S see page 12)

Dimensions

W / H / D: 230 / 353 / 530 mm

Power supply 220 – 240 V

03.9192.6013

1,764 €

03.9192.6023

2,184 €

Milk empty message, sensor for milk temperature

03.9192.6043

2,334 €

Milk empty message, sensor for milk temperature,
milk hose conduction at the right or left side is possible

03.1499.3001, set of feet (100 mm)

75 €

MILK COOLERS



Countertop Cooler (large)

up to 9.5 l milk, generally lockable, removable seal,
milk hose conduction at the right or left side is possible.
For all WMF fully automatic coffee specialities machines.
(Depth for WMF 1100 S see page 12)

Dimensions: W / H / D: 336 / 280 / 533 mm

Power supply 220 – 240 V

03.9469.7013

2,412 €

03.9469.7023

2,838 €

Milk empty message, sensor for milk temperature

03.1499.3001, set of feet (100 mm)

75 €



Center Cooler / Countertop Cooler

up to 10.5 l milk, generally lockable, with removable seal.
For all WMF fully automatic coffee specialities machines except
coffee machines with Basic Milk systems. Milk hose conduction
at the right or left side is possible

Dimensions

W / H / D: 261 / 530,5 / 469 mm

03.9022.6051

2,082 €

03.9022.6041

2,496 €

Milk empty message, sensor for temperature

03.9022.6061

2,256 €

2-Milk-Solution

03.1999.3001, set of feet (100 mm)

75 €



MILK COOLERS



Under-Machine Cooler / Undercounter Cooler
up to 9.5 l milk, generally lockable, removable seal.

Usage:

Under-Machine Cooler: For WMF 9000 S+
Undercounter Cooler: For all WMF fully automatic coffee specialities machines except coffee machines with Basic Milk systems. Milk hose conduction at the top.

Dimensions: W / H / D: 406 / 265 / 539 mm

Power supply 220 – 240 V

03.9468.6013 2,412 €

03.9468.6023 2,838 €

Milk empty message, sensor for milk temperature
03.9468.6033 2,970 €

2-Milk solution, milk empty message, sensor for milk temperature
03.1499.3001, set of feet (100 mm) 75 €



Under-Machine Cooler / Undercounter Cooler
up to 9.5 l milk, generally lockable, removable seal.

Usage:

Under-Machine Cooler: For WMF 1500 S+ and WMF 5000 S+
Undercounter Cooler: For all WMF fully automatic coffee specialities machines except coffee machines with Basic Milk systems. Milk hose conduction at the top.

Dimensions

W / H / D: 345 / 300 / 539 mm

Power supply 220 – 240 V

03.9469.6013 2,412 €

03.9469.6023 2,838 €

Milk empty message, sensor for milk temperature
03.9469.6033 2,970 €

2-Milk solution, milk empty message, sensor for milk temperature
03.1499.3001, set of feet (100 mm) 75 €

SYRUP STATION



Syrup Station

for WMF 1500 S+, WMF 5000 S+ and WMF 9000 S+, for up to four different syrup bottles, generally lockable, with removable seal.

The coffee machines must be pre-configured by the manufacturer!

Dimensions

W / H / D: 261 / 530.5 / 469 mm

03.9023.0001 3,714 €

03.1999.3001, set of feet (100 mm) 75 €

03.9099.6001, instant fitting kit for syrup station with vending unit 190 €

MILK TANK



Milk tank

removable for standard refrigerators, up to 18 l milk, polycarbonate, includes frame and milk empty message, standpipe and Plug+Clean hose adapter

Dimensions

W / H / D: 460 / 280 / 310 mm

03.9499.0001 606 €

MOBILE COFFEE STATIONS



Mobile coffee station 125+ (wide)¹

for WMF 1100 S, WMF 1300 S, WMF 1500 S+,
WMF 1500 S Classic, WMF 5000 S+ and WMF 9000 S+
incl. technical group 03.9493.0002

Nominal output / Power supply 3,3 kW / 230 V,
generally for 230 V versions only

Dimensions

W / H / D: 1250 / 900 / 780 mm

03.9491.0215 3,990 €

03.9491.0220, 4,218 €

with integrated grounds drawer Basic

03.9491.0221, 4,410 €

with integrated grounds drawer with telescopic pull-out



Mobile coffee station 85+ (narrow)¹

for WMF 1100 S, WMF 1300 S, WMF 1500 S+,
WMF 1500 S Classic, WMF 5000 S+ and WMF 9000 S+
incl. technical group 03.9493.0002

Dimensions

W / H / D: 850 / 900 / 780 mm

For coffee machines with power supply 220 - 240 V

03.9491.0201 3,786 €

03.9491.0210² 4,014 €

with integrated grounds drawer Basic

03.9491.0211² 4,410 €

with integrated grounds drawer with telescopic pull-out

Advice concerning mobile coffee stations:

Mobile station prepared for fixation of the coffee machines

WMF 1500 S Classic, WMF 1500 S+ and WMF 5000 S+.

In case of use with the coffee machines WMF 1100S, WMF 1300 S or WMF 9000 S+ during order entry the requested combination incl. arrangement needs to be stated in the production memo! With the option "Grounds through counter" please consider this as well for the configuration of the coffee machine!

COFFEE STATION



Coffee station 58

for WMF 1100 S, with inlay shelf

Dimensions

W / H / D: 580 / 900 / 600 mm

03.9494.1001² 1,236 €

03.9494.1201², incl. integrated grounds drawer 1,470 €

Coffee station 58+

for WMF 1100 S, without inlay shelf

03.9494.1101², incl. technical group 03.9493.002 2,262 €

03.9494.1301², 2,502 €

incl. technical group 03.9493.002

and integrated grounds drawer

TECHNICAL GROUP



Technical group

with external booster pump, fresh water tank, waste water tank, for WMF espresso, WMF 1100 S, WMF 1300 S, WMF 1500 S+, WMF 1500 S Classic, WMF 5000 S+ and WMF 9000 S+

Dimensions

W / H / D: 525 / 620 / 540 mm

Fresh water tank: 25 litres

Waste water tank: 13 litres

03.9493.0002 1,002 €

When using the technical group with a Dynamic Milk coffee machine, a separate additional lid with full indicator is required:

33.2803.9000 131.25 €

¹ Please absolutely state exact combination and arrangement (machine and cooler) in production memo of order.

² During order entry the requested combination incl. arrangement needs to be stated in the production memo! The coffee machine additionally requires the option "Grounds through counter".

SPECIAL VERSIONS ACCOUNTING SYSTEMS ETC.

Serial interfaces	Item number	List price / extra charge
WMF espresso	modular ¹	430 €
WMF 1100 S ²	03.1199.5001 ³	430 €
WMF 1300 S	modular ¹	430 €
WMF 1500 S+	modular ¹	430 €
WMF 5000 S+	modular ¹	430 €
WMF 9000 S+	modular ¹	430 €
WMF 9000 F (Internal Storage)	modular ¹	430 €

¹ Article number creation starts when configuring the article

² Additional MDB connections not possible

³ Instant fitting kit

CUP DISPENSER



Paper cup dispenser

for stand-alone use or on top of the Countertop Cooler (medium), applicable for 2 packs of paper cups with a length of 390 mm each, for paper cups with Ø 60 - 90 mm, stackable (up to 3 cup dispensers), for all coffee machines

Dimensions

W / H / D: 230 / 192 / 500 mm

03.9199.0003

438 €

WATER FILTERS



4 Tank filters

(Unit price: 21.63 €)

WMF 1100 S, WMF 1200 S, WMF 1300 S and WMF 1500 S with water tank
(Packing unit: 4 pieces)

33.2332.2000

86.52 €

FILTER CAPSULES FOR FRESH FILTERED COFFEE



Filter capsules

for Fresh Filtered Coffee

(Unit price: 2.63 €)

WMF 1500 S+ and WMF 5000 S+

Packing unit: 105 pieces

33.4207.7000

276.15 €

GROUNDS SEPARATOR



Grounds separator

incl. grounds container, capacity 12 litres, weight: approx. 12 kg

Dimensions

W / H / D: 314 / 579 / 440 mm

03.9011.0002

1,860 €

Supplement grounds separator


03.9011.1001 Additional grounds container

Dimensions grounds container

W / H / D: 290 / 290 / 290 mm


342 €

WATER FILTERS




Water filter WMF Aqua Basic V
incl. WMF filter head (including connections and water filter cartridge size V) recommended for WMF 1100 S and WMF 1200 S
03.9336.0100

282 €




Water filter WMF Aqua Basic M
incl. WMF filter head (including connections and water filter cartridge size M) recommended for WMF 1300 S, WMF 1500 S Classic, WMF 1500 S+ and WMF 1200 F
03.9336.0200

312 €



Water filter WMF Aqua Basic XL
incl. WMF filter head (including connections and water filter cartridge size XL) recommended for WMF 5000 S, WMF 5000 S+ and WMF 9000 S+
03.9336.0300

390 €



Water filter WMF Aqua Basic 2XL
incl. WMF filter head (including connections and water filter cartridge size 2XL) recommended for WMF 5000 S, WMF 5000 S+, WMF 9000 S+, WMF 9000 F (External Storage or Internal Storage).
03.9336.0400

492 €

For WMF 9000 F (External Storage and Internal Storage) an installation kit **33.9532.2000** will additionally be required due to the higher flow.

WATER FILTERS



WMF Aqua Basic V
Dimensions Ø 110 mm, Height 420 mm
33.9533.0000

99.75 €

WMF Aqua Basic M
Dimensions Ø 130 mm, Height 475 mm
33.9533.1000

120.75 €

WMF Aqua Basic XL
Dimensions Ø 147 mm, Height 502 mm
33.9533.2000

183.75 €

WMF Aqua Basic 2XL
Dimensions Ø 183 mm, Height 580 mm
33.9533.3000

267.75 €



WMF Aqua Protect XL
Dimensions Ø 147 mm, Height 502 mm
33.9534.2000

152.25 €

WMF Aqua Protect 2XL,
Dimensions Ø 185 mm, Height 580 mm
33.9534.3000

236.25 €



WMF AquaExcellence M,
Dimensions Ø 130 mm, Height 475 mm
33.9535.1000

131.25 €

WMF AquaExcellence XL,
Dimensions Ø 147 mm, Height 502 mm
33.9535.2000

194.25 €

WMF AquaExcellence 2XL,
Dimensions Ø 185 mm, Height 580 mm
33.9535.3000

278.25 €

Consumables

Item Number	Description	Quantity / carton	Quantity pallet	Price set/ carton	AUTOMATIC PORTAFILTER COFFEE MACHINES	FULLY AUTOMATIC COFFEE SPECIALITIES MACHINES					FULLY AUTOMATIC FILTER COFFEE MACHINES	
					WMF espresso	WMF 1100 S	WMF 1300 S	WMF 1500 S+	WMF 5000 S+	WMF 9000 S+	WMF 9000 F (Internal / External Storage)	
03.1197.8001	Milk lance for milk suction from milk carton, incl. cleaning brush	1 set		17.50 €		x	x					
33.2332.4000	Cleaning tablets (1.3 g)	12 cans (each 100 tablets)	180 cartons	15.75 €	x	x	x	x	x	x		
33.2622.0000*	Cleaning tablets (Easy Milk / Dynamic Milk)	4 cans (each 100 tablets)	75 cartons	36.75 €				x	x	x		
33.2118.6000	Cleaning granulate	12 cans (each 1 kg)	40 cartons	27.30 €								x
33.0683.6000	Special cleaner for milk foamer	8 bottles (each 1 litre)	48 cartons	10.50 €	x	x	x	x	x	x		
33.7006.2869*	Descaling solution	2 bottles (each 0.75 litre)	200 cartons	6.20 €		x	x	x	x			
33.0680.8000*	Descaling powder	12 cans (each 1 kg)	40 cartons	10.80 €	x					x		
33.2179.9000	Grease Molykote	1 tube (each 3 g)	-	3.56 €		x	x	x	x	x		
33.4745.4000	Cleaning granulate for WMF Auto Clean	4 cans (each 240 pills)	1 carton	42 €					x			
33.4748.1000	Milk system cleaner for WMF Auto Clean	4 bottles (each 2 litres)	1 carton	84 €					x			

Notes

Notes

Price List valid from January 1st, 2022.

All older price lists become invalid.

All prices exclusive of VAT.

Recommended prices of WMF GmbH.

WMF GmbH

GBU Professional Coffee Machines PCM

WMF Platz 1

73312 Geislingen/Steige

Germany

Phone: +49 73 31 - 257 181

Fax: +49 73 31 - 258 792

PCM@wmf.com

www.wmf-coffeemachines.com

63.8146.0391

All technical changes, typographical mistakes
and errors reserved for the entire contents.

Printed in Germany 09.2021, 1st Edition



WMF Professional Coffee Machines

